

Diagnostic Peripheral Catheters

Radiology catheters are engineered and designed with distinct tip configurations to access specific vessels and organs outside the heart. Vessel-sizing catheters measure the internal diameter and length of a blood vessel under fluoroscopy.

DIAGNOSTIC PERIPHERAL CATHETERS

MERIT MEDICAL

a) HEADHUNTER 1
b) HEADHUNTER 3
c) HEADHUNTER 5
d) HEADHUNTER 6



a) SIMMONS 1
b) SIMMONS 2
c) SIMMONS 3
d) SIMMONS 4
e) MODIFIED SIMMONS 1.5
f) MODIFIED SIMMONS



a) NEWTON 1
b) NEWTON 2
c) NEWTON 3
d) NEWTON 4
e) NEWTON 5
f) OSBORN 1
g) OSBORN 2



a) BENTSON 1
b) BENTSON 2
c) BENTSON 3
d) MANI



a) BERENSTEIN
b) VERTEBRAL
c) MODIFIED CEREBRAL
d) MW2
e) MODIFIED MW2
f) DVS A1
g) DVS A2
h) HOCKEY STICK



a) KA
b) KA2
c) HOOK 0.8
d) HOOK 1.0
e) SHEPHERD HOOK 0.8
f) SHEPHERD HOOK 1.0
g) SHEPHERD HOOK 1.0 MOD.
h) RENAL DOUBLE CURVE



a) STRAIGHT SELECTIVE
b) MOTARJEME
c) MOTARJEME CANE
d) MOTARJEME EXCHANGE
e) REUTER
f) MIKAELSSON
g) MODIFIED HOOK FLUSH



a) COBRA 1
b) COBRA 2
c) COBRA 3



a) SHEPHERD FLUSH
b) ULTRA BOLUS FLUSH
c) MODIFIED BOLUS FLUSH
d) STANDARD FLUSH
e) STRAIGHT FLUSH
f) MODIFIED HOOK FLUSH



a) GROLLMAN PIGTAIL FLUSH
b) GROLLMAN PIGTAIL FLUSH
c) MINI CATHETER
d) MODIFIED HOOK SELECTIVE 1
e) MODIFIED HOOK SELECTIVE 2
f) MODIFIED HOOK SELECTIVE 3



DIAGNOSTIC PERIPHERAL CATHETERS C

IMPRESS®

Headhunter, Newton, Bentson	C.1
Mani, Vertebral, Modified Cerebral	C.2
Berenstein, MW2	C.2
Simmons, Cobra, Hook, Shepherd Hook	C.3
Renal Double Curve, Hockey Stick	C.4
Motarjeme, Reuter, Mikaelsson, KA2	C.4
Modified Hook Selective, Shepherd Flush	C.5
Ultra Bolus Flush, Modified Bolus Flush	C.5
Pigtail Flush, Straight Flush,	C.6
Modified Hook Flush	C.6

PERFORMA® & SOFTOUCH®

Headhunter	C.7
Newton	C.8, 9
Bentson	C.10
Mani	C.11
Vertebral	C.11
Modified Cerebral	C.12
Berenstein	C.12
Straight Selective	C.12
MW2	C.13
Osborn	C.13
Simmons	C.14, 15
Cobra	C.16, 17
Hook	C.18
Modified Hook Selective	C.18
Mini Catheter	C.18
Shepherd Hook	C.19
Renal Double Curve	C.20
Hockey Stick	C.20
Motarjeme	C.21
Reuter	C.22
Mikaelsson	C.22
KA, KA2	C.22
DVS A1, DVS A2	C.23
Shepherd Flush	C.23
Grollman Pigtail Flush	C.23
Ultra Bolus Flush	C.24
Modified Bolus Flush	C.24
Pigtail Flush	C.25
Straight Flush	C.26
Modified Hook Flush	C.26
Vessel Sizing - Adult	C.27
Vessel Sizing - Vena Cava	C.28
Vessel Sizing - Pediatric	C.28
Mini Kits	C.29

catalog number	French size	internal diameter	length	recommended guide wire	# of side ports

IMPRESS® HEADHUNTER CATHETERS

HEADHUNTER 1					
510035HH1	5	.046"/1.17mm	100cm	.035" (0.89mm)	-
510038HH1	5	.046"/1.17mm	100cm	.038" (0.97mm)	-
HEADHUNTER 3					
510035HH3	5	.046"/1.17mm	100cm	.035" (0.89mm)	-
510038HH3	5	.046"/1.17mm	100cm	.038" (0.97mm)	-



IMPRESS® NEWTON CATHETERS

NEWTON 1					
510038N1	5	.046"/1.17mm	100cm	.038" (0.97mm)	-
NEWTON 2					
510038N2	5	.046"/1.17mm	100cm	.038" (0.97mm)	-
NEWTON 3					
510038N3	5	.046"/1.17mm	100cm	.038" (0.97mm)	-
NEWTON 4					
510038N4	5	.046"/1.17mm	100cm	.038" (0.97mm)	-



IMPRESS® BENTSON CATHETERS

BENTSON 1					
510035B1	5	.046"/1.17mm	100cm	.035" (0.89mm)	-
BENTSON 2					
510035B2	5	.046"/1.17mm	100cm	.035" (0.89mm)	-



catalog number	French size	internal diameter	length	recommended guide wire	# of side ports

IMPRESS® MANI CATHETERS

510035MANI	5	.046"/1.17mm	100cm	.035" (0.89mm)	-
510038MANI	5	.046"/1.17mm	100cm	.038" (0.97mm)	-

MANI

IMPRESS® VERTEBRAL CATHETERS

56538VER	5	.046"/1.17mm	65cm	.038" (0.97mm)	-
510035VER	5	.046"/1.17mm	100cm	.035" (0.89mm)	-
510038VER	5	.046"/1.17mm	100cm	.038" (0.97mm)	-

VERTEBRAL

IMPRESS® MODIFIED CEREBRAL CATHETERS

510035MC	5	.046"/1.17mm	100cm	.035" (0.89mm)	-
510038MC	5	.046"/1.17mm	100cm	.038" (0.97mm)	-

MODIFIED CEREBRAL



IMPRESS® BERENSTEIN CATHETERS

510035BER	5	.046"/1.17mm	100cm	.035" (0.89mm)	-
510038BER	5	.046"/1.17mm	100cm	.038" (0.97mm)	-

BERENSTEIN

IMPRESS® MW2 CATHETERS

56538MW2	5	.046"/1.17mm	65cm	.038" (0.97mm)	-

catalog number	French size	internal diameter	length	recommended guide wire	# of side ports

IMPRESS® SIMMONS CATHETERS

SIMMONS 1					
510035SIM1	5	.046"/1.17mm	100cm	.035" (0.89mm)	-
510038SIM1	5	.046"/1.17mm	100cm	.038" (0.97mm)	-
SIMMONS 2					
510035SIM2	5	.046"/1.17mm	100cm	.035" (0.89mm)	-
510038SIM2	5	.046"/1.17mm	100cm	.038" (0.97mm)	-

IMPRESS® COBRA CATHETERS

COBRA 1					
565352CB1	5	.046"/1.17mm	65cm	.035" (0.89mm)	2
565382CB1	5	.046"/1.17mm	65cm	.038" (0.97mm)	2
COBRA 2					
565352CB2	5	.046"/1.17mm	65cm	.035" (0.89mm)	2
565382CB2	5	.046"/1.17mm	65cm	.038" (0.97mm)	2





IMPRESS® HOOK CATHETERS

HOOK 0.8					
565352HK0-8	5	.046"/1.17mm	65cm	.035" (0.89mm)	2
HOOK 1.0					
565352HK1-0	5	.046"/1.17mm	65cm	.035" (0.89mm)	2

IMPRESS® SHEPHERD HOOK CATHETERS

SHEPHERD HOOK 0.8					
565352SH0-8	5	.046"/1.17mm	65cm	.035" (0.89mm)	2
SHEPHERD HOOK 1.0					
565352SH1-0	5	.046"/1.17mm	65cm	.035" (0.89mm)	2

catalog number	French size	internal diameter	length	recommended guide wire	# of side ports

IMPRESS® RENAL DOUBLE CURVE CATHETERS

565352RC	5	.046"/1.17mm	65cm	.035" (0.89mm)	2



IMPRESS® MOTARJEME® CATHETERS

56535MOT	5	.046"/1.17mm	65cm	.035" (0.89mm)	-
510035MOT	5	.046"/1.17mm	100cm	.035" (0.89mm)	-

IMPRESS® REUTER CATHETERS

58035RE	5	.046"/1.17mm	80cm	.035" (0.89mm)	-
58038RE	5	.046"/1.17mm	80cm	.038" (0.97mm)	-

IMPRESS® MIKAELSSON CURVE CATHETERS

58038MIK	5	.046"/1.17mm	80cm	.038" (0.97mm)	-

IMPRESS® KA2 CATHETERS

56538KA2	5	.046"/1.17mm	65cm	.038" (0.97mm)	-

catalog number	French size	internal diameter	length	tip length	recom. guide wire	# of side ports

IMPRESS® HOCKEY STICK CATHETERS

510038HS	5	.046"/1.17mm	100cm	4.5cm	.038" (0.97mm)	-

catalog number	French size	internal diameter	length	recommended guide wire	# of side ports	

IMPRESS® MODIFIED HOOK SELECTIVE CATHETERS

MODIFIED HOOK 1						
58035MHK1	5	.046"/1.17mm	80cm	.035" (0.89mm)	-	
MODIFIED HOOK 2						
58035MHK2	5	.046"/1.17mm	80cm	.035" (0.89mm)	-	
MODIFIED HOOK 3						
58035MHK3	5	.046"/1.17mm	80cm	.035" (0.89mm)	-	

MODIFIED HOOK 1

MODIFIED HOOK 2

MODIFIED HOOK 3

IMPRESS® SHEPHERD FLUSH CATHETERS

565356SHP-NB	5	.052"/1.32mm	65cm	.035" (0.89mm)	6	non-braided

SHEPHERD FLUSH

IMPRESS® ULTRA BOLUS FLUSH CATHETERS

5653510UBF-NB	5	.052"/1.32mm	65cm	.035" (0.89mm)	10	non-braided
5903510UBF-NB	5	.052"/1.32mm	90cm	.035" (0.89mm)	10	non-braided

ULTRA BOLUS FLUSH

IMPRESS® MODIFIED BOLUS FLUSH CATHETERS

5653810MUBF-NB	5	.052"/1.32mm	65cm	.038" (0.97mm)	10	non-braided

MODIFIED BOLUS FLUSH

catalog number	French size	internal diameter	length	recommended guide wire	# of side ports	

IMPRESS® PIGTAIL FLUSH CATHETERS

5653510PIG-NB	5	.052"/1.32mm	65cm	.035" (0.89mm)	10	non-braided
5903510PIG-NB	5	.052"/1.32mm	90cm	.035" (0.89mm)	10	non-braided
51103510PIG-NB	5	.052"/1.32mm	110cm	.035" (0.89mm)	10	non-braided
5653810PIG-NB	5	.052"/1.32mm	65cm	.038" (0.97mm)	10	non-braided
5903810PIG-NB	5	.052"/1.32mm	90cm	.038" (0.97mm)	10	non-braided
51103810PIG-NB	5	.052"/1.32mm	110cm	.038" (0.97mm)	10	non-braided

PIGTAIL

IMPRESS® STRAIGHT FLUSH CATHETERS

5653510STF-NB	5	.052"/1.32mm	65cm	.035" (0.89mm)	10	non-braided
5903510STF-NB	5	.052"/1.32mm	90cm	.035" (0.89mm)	10	non-braided

STRAIGHT FLUSH

IMPRESS® MODIFIED HOOK FLUSH CATHETERS

565356MHK-NB	5	.052"/1.32mm	65cm	.035" (0.89mm)	6	non-braided
565386MHK-NB	5	.052"/1.32mm	65cm	.038" (0.97mm)	6	non-braided

MODIFIED HOOK FLUSH

catalog number	French size	internal diameter	length	recommended guide wire	# of side ports	

PERFORMA® HEADHUNTER CATHETERS

HEADHUNTER 1						
7715-A0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7715-10	4	.042"/1.07mm	100cm	.038" (0.97mm)	-	bumper tip
5575-A3	5	.046"/1.17mm	100cm	.035" (0.89mm)	-	
5575-13	5	.046"/1.17mm	100cm	.038" (0.97mm)	-	
HEADHUNTER 3						
7715-B0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7715-30	4	.042"/1.07mm	100cm	.038" (0.97mm)	-	bumper tip
5575-B3	5	.046"/1.17mm	100cm	.035" (0.89mm)	-	
5575-23	5	.046"/1.17mm	100cm	.038" (0.97mm)	-	
HEADHUNTER 5						
7715-C0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7715-50	4	.042"/1.07mm	100cm	.038" (0.97mm)	-	bumper tip
5575-C3	5	.046"/1.17mm	100cm	.035" (0.89mm)	-	
5575-33	5	.046"/1.17mm	100cm	.038" (0.97mm)	-	
HEADHUNTER 6						
7715-D0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7715-60	4	.042"/1.07mm	100cm	.038" (0.97mm)	-	bumper tip
5575-D3	5	.046"/1.17mm	100cm	.035" (0.89mm)	-	
5575-43	5	.046"/1.17mm	100cm	.038" (0.97mm)	-	

SOFTOUCH® HEADHUNTER CATHETERS

HEADHUNTER 1						
5570-B3	4	.041"/1.04mm	100cm	.035" (0.89mm)	-	non-braided
5570-13	5	.044"/1.12mm	100cm	.035" (0.89mm)	-	
5406-13	5	.044"/1.12mm	100cm	.038" (0.97mm)	-	
HEADHUNTER 3						
5570-C3	4	.041"/1.04mm	100cm	.035" (0.89mm)	-	non-braided
5570-23	5	.044"/1.12mm	100cm	.035" (0.89mm)	-	
5406-23	5	.044"/1.12mm	100cm	.038" (0.97mm)	-	
HEADHUNTER 5						
5570-83	5	.044"/1.12mm	100cm	.035" (0.89mm)	-	
5406-83	5	.044"/1.12mm	100cm	.038" (0.97mm)	-	
HEADHUNTER 6						
5570-93	5	.044"/1.12mm	100cm	.035" (0.89mm)	-	
5406-93	5	.044"/1.12mm	100cm	.038" (0.97mm)	-	



PERFORMA® NEWTON CATHETERS

catalog number	French size	internal diameter	length	recommended guide wire	# of side ports	
NEWTON 1						
7722-A0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7722-10	4	.042"/1.07mm	100cm	.038" (0.97mm)	-	bumper tip
5577-A3	5	.046"/1.17mm	100cm	.035" (0.89mm)	-	
5577-13	5	.046"/1.17mm	100cm	.038" (0.97mm)	-	
NEWTON 2						
7722-B0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7722-20	4	.042"/1.07mm	100cm	.038" (0.97mm)	-	bumper tip
5577-B3	5	.046"/1.17mm	100cm	.035" (0.89mm)	-	
5577-23	5	.046"/1.17mm	100cm	.038" (0.97mm)	-	
NEWTON 3						
7722-C0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7722-30	4	.042"/1.07mm	100cm	.038" (0.97mm)	-	bumper tip
5577-C3	5	.046"/1.17mm	100cm	.035" (0.89mm)	-	
5577-33	5	.046"/1.17mm	100cm	.038" (0.97mm)	-	
NEWTON 4						
7722-D0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7722-40	4	.042"/1.07mm	100cm	.038" (0.97mm)	-	bumper tip
5577-D3	5	.046"/1.17mm	100cm	.035" (0.89mm)	-	
5577-43	5	.046"/1.17mm	100cm	.038" (0.97mm)	-	
NEWTON 5						
7722-E0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7722-50	4	.042"/1.07mm	100cm	.038" (0.97mm)	-	bumper tip
5577-E3	5	.046"/1.17mm	100cm	.035" (0.89mm)	-	
5577-53	5	.046"/1.17mm	100cm	.038" (0.97mm)	-	



catalog number	French size	internal diameter	length	recommended guide wire	# of side ports	

SOFTOUCH® NEWTON CATHETERS

NEWTON 1						
5565-13	5	.044"/1.12mm	100cm	.035" (0.89mm)	-	
5408-13	5	.044"/1.12mm	100cm	.038" (0.97mm)	-	
NEWTON 2						
5565-23	5	.044"/1.12mm	100cm	.035" (0.89mm)	-	
5408-23	5	.044"/1.12mm	100cm	.038" (0.97mm)	-	
NEWTON 3						
5565-33	5	.044"/1.12mm	100cm	.035" (0.89mm)	-	
5408-33	5	.044"/1.12mm	100cm	.038" (0.97mm)	-	
NEWTON 4						
5565-L3	4	.041"/1.04mm	100cm	.035" (0.89mm)	-	non-braided
5565-43	5	.044"/1.12mm	100cm	.035" (0.89mm)	-	
5408-43	5	.044"/1.12mm	100cm	.038" (0.97mm)	-	
NEWTON 5						
5565-53	5	.044"/1.12mm	100cm	.035" (0.89mm)	-	
5408-53	5	.044"/1.12mm	100cm	.038" (0.97mm)	-	



catalog number	French size	internal diameter	length	recommended guide wire	# of side ports	

PERFORMA® BENTSON CATHETERS

BENTSON 1						
7721-A0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7721-10	4	.042"/1.07mm	100cm	.038" (0.97mm)	-	bumper tip
5578-A3	5	.046"/1.17mm	100cm	.035" (0.89mm)	-	
5578-13	5	.046"/1.17mm	100cm	.038" (0.97mm)	-	
BENTSON 2						
7721-B0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7721-20	4	.042"/1.07mm	100cm	.038" (0.97mm)	-	bumper tip
5578-B3	5	.046"/1.17mm	100cm	.035" (0.89mm)	-	
5578-23	5	.046"/1.17mm	100cm	.038" (0.97mm)	-	
BENTSON 3						
7721-C0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7721-30	4	.042"/1.07mm	100cm	.038" (0.97mm)	-	bumper tip
5578-C3	5	.046"/1.17mm	100cm	.035" (0.89mm)	-	
5578-33	5	.046"/1.17mm	100cm	.038" (0.97mm)	-	

SOFTOUCH® BENTSON CATHETERS

BENTSON 1						
5566-L3	4	.041"/1.04mm	100cm	.035" (0.89mm)	-	non-braided
5566-13	5	.044"/1.12mm	100cm	.035" (0.89mm)	-	
5409-13	5	.044"/1.12mm	100cm	.038" (0.97mm)	-	
BENTSON 2						
5566-M3	4	.041"/1.04mm	100cm	.035" (0.89mm)	-	non-braided
5566-23	5	.044"/1.12mm	100cm	.035" (0.89mm)	-	
5409-23	5	.044"/1.12mm	100cm	.038" (0.97mm)	-	
BENTSON 3						
5566-N3	4	.041"/1.04mm	100cm	.035" (0.89mm)	-	non-braided
5566-33	5	.044"/1.12mm	100cm	.035" (0.89mm)	-	
5409-33	5	.044"/1.12mm	100cm	.038" (0.97mm)	-	



catalog number	French size	internal diameter	length	recommended guide wire	# of side ports	

PERFORMA® MANI CATHETERS

7716-A0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7716-10	4	.042"/1.07mm	100cm	.038" (0.97mm)	-	bumper tip
5579-A3	5	.046"/1.17mm	100cm	.035" (0.89mm)	-	
5579-13	5	.046"/1.17mm	100cm	.038" (0.97mm)	-	

SOFTOUCH® MANI CATHETERS

5567-23	4	.041"/1.04mm	100cm	.035" (0.89mm)	-	non-braided
5567-13	5	.044"/1.12mm	100cm	.035" (0.89mm)	-	
5410-13	5	.044"/1.12mm	100cm	.038" (0.97mm)	-	

MANI

PERFORMA® VERTEBRAL CATHETERS

7717-A0	4	.042"/1.07mm	65cm	.035" (0.89mm)	-	
7717-10	4	.042"/1.07mm	65cm	.038" (0.97mm)	-	bumper tip
7717-C0	4	.042"/1.07mm	80cm	.035" (0.89mm)	-	
7717-30	4	.042"/1.07mm	80cm	.038" (0.97mm)	-	bumper tip
7717-B0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7717-20	4	.042"/1.07mm	100cm	.038" (0.97mm)	-	bumper tip
5583-B3	5	.046"/1.17mm	65cm	.035" (0.89mm)	-	
5583-23	5	.046"/1.17mm	65cm	.038" (0.97mm)	-	
5583-A3	5	.046"/1.17mm	100cm	.035" (0.89mm)	-	
5583-13	5	.046"/1.17mm	100cm	.038" (0.97mm)	-	

SOFTOUCH® VERTEBRAL CATHETERS

6635-23	4	.041"/1.04mm	100cm	.035" (0.89mm)	-	non-braided
6635-33	5	.044"/1.12mm	65cm	.035" (0.89mm)	-	
5411-23	5	.044"/1.12mm	65cm	.038" (0.97mm)	-	
6635-13	5	.044"/1.12mm	100cm	.035" (0.89mm)	-	
5411-13	5	.044"/1.12mm	100cm	.038" (0.97mm)	-	
6635-53	5	.044"/1.12mm	100cm	.032" (0.81mm)	-	mod.vertebral

VERTEBRAL

MODIFIED VERTEBRAL (TAPERED TIP)

catalog number	French size	internal diameter	length	recommended guide wire	# of side ports	

PERFORMA® MODIFIED CEREBRAL CATHETERS

7723-A0	4	.042"/1.07mm	90cm	.035" (0.89mm)	-	
7723-10	4	.042"/1.07mm	90cm	.038" (0.97mm)	-	bumper tip
5588-A3	5	.046"/1.17mm	100cm	.035" (0.89mm)	-	
5588-13	5	.046"/1.17mm	100cm	.038" (0.97mm)	-	

SOFTOUCH® MODIFIED CEREBRAL CATHETERS

5580-13	4	.041"/1.04mm	90cm	.035" (0.89mm)	-	non-braided
5501-13	5	.044"/1.12mm	100cm	.035" (0.89mm)	-	
5517-13	5	.044"/1.12mm	100cm	.038" (0.97mm)	-	

MODIFIED CEREBRAL



PERFORMA® BERENSTEIN CATHETERS

7718-C0	4	.042"/1.07mm	40cm	.035" (0.89mm)	-	
7718-30	4	.042"/1.07mm	40cm	.038" (0.97mm)	-	bumper tip
7718-B0	4	.042"/1.07mm	65cm	.035" (0.89mm)	-	
7718-20	4	.042"/1.07mm	65cm	.038" (0.97mm)	-	bumper tip
7718-A0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7718-10	4	.042"/1.07mm	100cm	.038" (0.97mm)	-	bumper tip
5592-C3	5	.046"/1.17mm	40cm	.035" (0.89mm)	-	
5592-33	5	.046"/1.17mm	40cm	.038" (0.97mm)	-	
5592-B3	5	.046"/1.17mm	65cm	.035" (0.89mm)	-	
5592-23	5	.046"/1.17mm	65cm	.038" (0.97mm)	-	
5592-A3	5	.046"/1.17mm	100cm	.035" (0.89mm)	-	
5592-13	5	.046"/1.17mm	100cm	.038" (0.97mm)	-	

SOFTOUCH® BERENSTEIN CATHETERS

6650-13	4	.041"/1.04mm	100cm	.035" (0.89mm)	-	non-braided
5510-13	5	.044"/1.12mm	100cm	.035" (0.89mm)	-	
5430-13	5	.044"/1.12mm	100cm	.038" (0.97mm)	-	

BERENSTEIN

PERFORMA® STRAIGHT SELECTIVE CATHETERS

7748-A0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7748-13	4	.042"/1.07mm	110cm	.038" (0.97mm)	-	bumper tip

STRAIGHT SELECTIVE

catalog number	French size	internal diameter	length	recommended guide wire	# of side ports	

PERFORMA® MW2 CATHETERS

7745-10	4	.042"/1.07mm	40cm	.038" (0.97mm)	2	bumper tip
5590-13	5	.046"/1.17mm	40cm	.038" (0.97mm)	-	
5590-23	5	.046"/1.17mm	65cm	.038" (0.97mm)	-	
5590-33	5	.046"/1.17mm	100cm	.038" (0.97mm)	-	
MODIFIED MW2						
7745-A0	4	.042"/1.07mm	40cm	.035" (0.89mm)	2	
7745-B0	4	.042"/1.07mm	65cm	.035" (0.89mm)	2	
7745-C0	4	.042"/1.07mm	100cm	.035" (0.89mm)	2	

SOFTOUCH® MW2 CATHETERS

5573-D3	4	.041"/1.04mm	40cm	.035" (0.89mm)	2	non-braided
5573-A3	5	.044"/1.12mm	40cm	.035" (0.89mm)	-	
5573-13	5	.044"/1.12mm	40cm	.038" (0.97mm)	-	
5573-23	5	.044"/1.12mm	65cm	.038" (0.97mm)	-	
5573-33	5	.044"/1.12mm	100cm	.038" (0.97mm)	-	

PERFORMA® OSBORN CATHETERS

OSBORN 1						
7746-A0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7746-10	4	.042"/1.07mm	100cm	.038" (0.97mm)	-	bumper tip
OSBORN 2						
7746-B0	4	.042"/1.07mm	65cm	.035" (0.89mm)	-	
7746-20	4	.042"/1.07mm	65cm	.038" (0.97mm)	-	bumper tip
7746-C0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7746-30	4	.042"/1.07mm	100cm	.038" (0.97mm)	-	bumper tip

SOFTOUCH® OSBORN CATHETERS

OSBORN 1						
8822-23	4	.041"/1.04mm	100cm	.035" (0.89mm)	-	non-braided
OSBORN 2						
8823-33	4	.041"/1.04mm	65cm	.035" (0.89mm)	-	non-braided
8823-23	4	.041"/1.04mm	100cm	.035" (0.89mm)	-	non-braided

PERFORMA® SIMMONS CATHETERS

catalog number	French size	internal diameter	length	recommended guide wire	# of side ports	
SIMMONS 1						
7720-A0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7720-10	4	.042"/1.07mm	100cm	.038" (0.97mm)	-	bumper tip
5576-F3	5	.046"/1.17mm	65cm	.035" (0.89mm)	-	
5576-A3	5	.046"/1.17mm	100cm	.035" (0.89mm)	-	
5576-13	5	.046"/1.17mm	100cm	.038" (0.97mm)	-	
SIMMONS 2						
7720-B0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7720-20	4	.042"/1.07mm	100cm	.038" (0.97mm)	-	bumper tip
5576-G3	5	.046"/1.17mm	65cm	.035" (0.89mm)	-	
5576-B3	5	.046"/1.17mm	100cm	.035" (0.89mm)	-	
5576-23	5	.046"/1.17mm	100cm	.038" (0.97mm)	-	
SIMMONS 3						
7720-C0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7720-30	4	.042"/1.07mm	100cm	.038" (0.97mm)	-	bumper tip
5576-C3	5	.046"/1.17mm	100cm	.035" (0.89mm)	-	
5576-33	5	.046"/1.17mm	100cm	.038" (0.97mm)	-	
SIMMONS 4						
7720-D0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7720-40	4	.042"/1.07mm	100cm	.038" (0.97mm)	-	bumper tip
5576-D3	5	.046"/1.17mm	100cm	.035" (0.89mm)	-	
5576-43	5	.046"/1.17mm	100cm	.038" (0.97mm)	-	
MODIFIED SIMMONS 1.5						
7720-F0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7720-E0	4	.042"/1.07mm	80cm	.035" (0.89mm)	-	
5576-E3	5	.046"/1.17mm	100cm	.035" (0.89mm)	-	
MODIFIED SIMMONS						
7720-53	4	.042"/1.07mm	80cm	.038" (0.97mm)	-	bumper tip



catalog number	French size	internal diameter	length	recommended guide wire	# of side ports	

SOFTOUCH® SIMMONS CATHETERS

SIMMONS 1						
5564-K3	4	.041"/1.04mm	100cm	.035" (0.89mm)	-	non-braided
5564-63	5	.044"/1.12mm	65cm	.035" (0.89mm)	-	
5564-13	5	.044"/1.12mm	100cm	.035" (0.89mm)	-	
5407-13	5	.044"/1.12mm	100cm	.038" (0.97mm)	-	
SIMMONS 2						
5564-L3	4	.041"/1.04mm	100cm	.035" (0.89mm)	-	non-braided
5564-73	5	.044"/1.12mm	65cm	.035" (0.89mm)	-	
5564-F3	5	.044"/1.12mm	100cm	.035" (0.89mm)	2	
5564-23	5	.044"/1.12mm	100cm	.035" (0.89mm)	-	
5407-23	5	.044"/1.12mm	100cm	.038" (0.97mm)	-	
SIMMONS 3						
5564-M3	4	.041"/1.04mm	100cm	.035" (0.89mm)	-	non-braided
5564-33	5	.044"/1.12mm	100cm	.035" (0.89mm)	-	
5407-33	5	.044"/1.12mm	100cm	.038" (0.97mm)	-	
SIMMONS 4						
5564-43	5	.044"/1.12mm	100cm	.035" (0.89mm)	-	
5407-43	5	.044"/1.12mm	100cm	.038" (0.97mm)	-	
MODIFIED SIMMONS						
6654-33	4	.041"/1.04mm	80cm	.035" (0.89mm)	-	non-braided
6654-X3	4	.041"/1.04mm	80cm	.032" (0.81mm)	-	non-braided
MODIFIED SIMMONS 1.5						
5564-53	5	.044"/1.12mm	100cm	.035" (0.89mm)	-	



catalog number	French size	internal diameter	length	recommended guide wire	# of side ports	

PERFORMA® COBRA CATHETERS

COBRA 1						
7710-A0	4	.042"/1.07mm	65cm	.035" (0.89mm)	2	
7710-10	4	.042"/1.07mm	65cm	.038" (0.97mm)	2	bumper tip
7710-D0	4	.042"/1.07mm	65cm	.035" (0.89mm)	-	
7710-40	4	.042"/1.07mm	65cm	.038" (0.97mm)	-	bumper tip
5584-A3	5	.046"/1.17mm	65cm	.035" (0.89mm)	2	
5584-D3	5	.046"/1.17mm	65cm	.035" (0.89mm)	-	
5584-13	5	.046"/1.17mm	65cm	.038" (0.97mm)	-	
5584-43	5	.046"/1.17mm	65cm	.038" (0.97mm)	2	
COBRA 2						
7710-B0	4	.042"/1.07mm	65cm	.035" (0.89mm)	2	
7710-E0	4	.042"/1.07mm	65cm	.035" (0.89mm)	-	
7710-20	4	.042"/1.07mm	65cm	.038" (0.97mm)	2	bumper tip
7710-50	4	.042"/1.07mm	65cm	.038" (0.97mm)	-	bumper tip
5584-B3	5	.046"/1.17mm	65cm	.035" (0.89mm)	2	
5584-E3	5	.046"/1.17mm	65cm	.035" (0.89mm)	-	
5584-23	5	.046"/1.17mm	65cm	.038" (0.97mm)	-	
5584-53	5	.046"/1.17mm	65cm	.038" (0.97mm)	2	
COBRA 3						
7710-C0	4	.042"/1.07mm	65cm	.035" (0.89mm)	2	
7710-F0	4	.042"/1.07mm	65cm	.035" (0.89mm)	-	
7710-30	4	.042"/1.07mm	65cm	.038" (0.97mm)	2	bumper tip
7710-60	4	.042"/1.07mm	65cm	.038" (0.97mm)	-	bumper tip
5584-C3	5	.046"/1.17mm	65cm	.035" (0.89mm)	2	
5584-F3	5	.046"/1.17mm	65cm	.035" (0.89mm)	-	
5584-33	5	.046"/1.17mm	65cm	.038" (0.97mm)	-	
5584-63	5	.046"/1.17mm	65cm	.038" (0.97mm)	2	



catalog number	French size	internal diameter	length	recommended guide wire	# of side ports	

SOFTOUCH® COBRA CATHETERS

COBRA 1						
5563-N3	4	.041"/1.04mm	65cm	.035" (0.89mm)	2	non-braided
5563-13	5	.044"/1.12mm	65cm	.035" (0.89mm)	2	
5413-13	5	.044"/1.12mm	65cm	.038" (0.97mm)	2	
5412-13	5	.044"/1.12mm	65cm	.038" (0.97mm)	-	
COBRA 2						
5563-P3	4	.041"/1.04mm	65cm	.035" (0.89mm)	2	non-braided
5563-23	5	.044"/1.12mm	65cm	.035" (0.89mm)	2	
5413-23	5	.044"/1.12mm	65cm	.038" (0.97mm)	2	
5412-23	5	.044"/1.12mm	65cm	.038" (0.97mm)	-	
COBRA 3						
5563-Q3	4	.041"/1.04mm	65cm	.035" (0.89mm)	2	non-braided
5563-33	5	.044"/1.12mm	65cm	.035" (0.89mm)	2	
5413-33	5	.044"/1.12mm	65cm	.038" (0.97mm)	2	
5412-33	5	.044"/1.12mm	65cm	.038" (0.97mm)	-	



catalog number	French size	internal diameter	length	recommended guide wire	# of side ports	

PERFORMA® HOOK CATHETERS

HOOK 0.8						
7711-A0	4	.042"/1.07mm	65cm	.035" (0.89mm)	2	
7711-10	4	.042"/1.07mm	65cm	.038" (0.97mm)	2	bumper tip
5585-A3	5	.046"/1.17mm	65cm	.035" (0.89mm)	2	
5585-13	5	.046"/1.17mm	65cm	.038" (0.97mm)	2	
HOOK 1.0						
7711-B0	4	.042"/1.07mm	65cm	.035" (0.89mm)	2	
7711-20	4	.042"/1.07mm	65cm	.038" (0.97mm)	2	bumper tip
5585-B3	5	.046"/1.17mm	65cm	.035" (0.89mm)	2	
5585-23	5	.046"/1.17mm	65cm	.038" (0.97mm)	2	

SOFTOUCH® HOOK CATHETERS

HOOK 0.8						
5569-33	4	.041"/1.04mm	65cm	.035" (0.89mm)	2	non-braided
5569-13	5	.044"/1.12mm	65cm	.035" (0.89mm)	2	
5414-13	5	.044"/1.12mm	65cm	.038" (0.97mm)	2	
HOOK 1.0						
5569-43	4	.041"/1.04mm	65cm	.035" (0.89mm)	2	non-braided
5569-23	5	.044"/1.12mm	65cm	.035" (0.89mm)	2	
5414-23	5	.044"/1.12mm	65cm	.038" (0.97mm)	2	

MODIFIED HOOK SELECTIVE CATHETERS

MODIFIED HOOK 1					
5585-C3	5	.046"/1.17mm	80cm	.035" (0.89mm)	-
MODIFIED HOOK 2					
5585-D3	5	.046"/1.17mm	80cm	.035" (0.89mm)	-
MODIFIED HOOK 3					
5585-E3	5	.046"/1.17mm	80cm	.035" (0.89mm)	-

MINI CATHETERS

42035-MINI	4	.041"/1.04mm	20cm	.035" (0.89mm)	-	non-braided

catalog number	French size	internal diameter	length	recommended guide wire	# of side ports	

PERFORMA® SHEPHERD HOOK CATHETERS

SHEPHERD HOOK 0.8						
7712-A0	4	.042"/1.07mm	65cm	.035" (0.89mm)	2	
7712-10	4	.042"/1.07mm	65cm	.038" (0.97mm)	2	bumper tip
5586-A3	5	.046"/1.17mm	65cm	.035" (0.89mm)	2	
5586-13	5	.046"/1.17mm	65cm	.038" (0.97mm)	2	
SHEPHERD HOOK 1.0						
7712-B0	4	.042"/1.07mm	65cm	.035" (0.89mm)	2	
7712-20	4	.042"/1.07mm	65cm	.038" (0.97mm)	2	bumper tip
5586-B3	5	.046"/1.17mm	65cm	.035" (0.89mm)	2	
5586-23	5	.046"/1.17mm	65cm	.038" (0.97mm)	2	
SHEPHERD HOOK 1.0 MODIFIED						
7712-C0	4	.042"/1.07mm	65cm	.035" (0.89mm)	2	
7712-D0	4	.042"/1.07mm	65cm	.035" (0.89mm)	-	
7712-30	4	.042"/1.07mm	65cm	.038" (0.97mm)	2	bumper tip
7712-40	4	.042"/1.07mm	65cm	.038" (0.97mm)	-	bumper tip
5586-43	5	.046"/1.17mm	65cm	.038" (0.97mm)	2	

SOFTOUCH® SHEPHERD HOOK CATHETERS

SHEPHERD HOOK 0.8						
5571-33	4	.041"/1.04mm	65cm	.035" (0.89mm)	2	non-braided
5571-13	5	.044"/1.12mm	65cm	.035" (0.89mm)	2	
5415-13	5	.044"/1.12mm	65cm	.038" (0.97mm)	2	
SHEPHERD HOOK 1.0						
5571-43	4	.041"/1.04mm	65cm	.035" (0.89mm)	2	non-braided
5571-23	5	.044"/1.12mm	65cm	.035" (0.89mm)	2	
5415-23	5	.044"/1.12mm	65cm	.038" (0.97mm)	2	
SHEPHERD HOOK 1.0 MODIFIED						
5415-43	5	.046"/1.17mm	65cm	.038" (0.97mm)	2	

SHEPHERD HOOK 0.8

SHEPHERD HOOK 1.0

SHEPHERD HOOK 1.0 MODIFIED

catalog number	French size	internal diameter	length	recommended guide wire	# of side ports	

PERFORMA® RENAL DOUBLE CURVE CATHETERS

7713-A0	4	.042"/1.07mm	65cm	.035" (0.89mm)	2	
7713-B0	4	.042"/1.07mm	65cm	.035" (0.89mm)	-	
7713-10	4	.042"/1.07mm	65cm	.038" (0.97mm)	2	bumper tip
7713-20	4	.042"/1.07mm	65cm	.038" (0.97mm)	-	bumper tip
5587-A3	5	.046"/1.17mm	65cm	.035" (0.89mm)	2	
5587-13	5	.046"/1.17mm	65cm	.038" (0.97mm)	-	
5587-23	5	.046"/1.17mm	65cm	.038" (0.97mm)	2	

SOFTOUCH® RENAL DOUBLE CURVE CATHETERS

5568-33	4	.041"/1.04mm	65cm	.035" (0.89mm)	2	non-braided
5568-13	5	.044"/1.12mm	65cm	.035" (0.89mm)	2	
5416-13	5	.044"/1.12mm	65cm	.038" (0.97mm)	-	
5416-23	5	.044"/1.12mm	65cm	.038" (0.97mm)	2	



catalog number	French size	internal diameter	length	tip length	recom. guide wire	# of side ports	

PERFORMA® HOCKEY STICK CATHETERS

7752-10	4	.042"/1.07mm	100cm	4.5cm	.038" (0.97mm)	-	bumper tip
7543-13	5	.046"/1.17mm	100cm	4.5cm	.038" (0.97mm)	-	
7541-13	6	.054"/1.37mm	100cm	4.5cm	.038" (0.97mm)	-	

SOFTOUCH® HOCKEY STICK CATHETER

7416-13	6	.059"/1.50mm	100cm	4.5cm	.038" (0.97mm)	-

catalog number	French size	internal diameter	length	recommended guide wire	# of side ports	

PERFORMA® MOTARJEME® CATHETERS

7747-C0	4	.042"/1.07mm	65cm	.035" (0.89mm)	-	
7747-D0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7747-E0	4	.042"/1.07mm	65cm	.035" (0.89mm)	2	
7747-F0	4	.042"/1.07mm	100cm	.035" (0.89mm)	2	
5591-A3	5	.046"/1.17mm	65cm	.035" (0.89mm)	-	
5591-B3	5	.046"/1.17mm	100cm	.035" (0.89mm)	-	
5591-C3	5	.046"/1.17mm	65cm	.035" (0.89mm)	2	
5591-D3	5	.046"/1.17mm	100cm	.035" (0.89mm)	2	
MOTARJEME CANE						
7747-B0	4	.042"/1.07mm	65cm	.035" (0.89mm)	-	
7747-20	4	.042"/1.07mm	65cm	.038" (0.97mm)	-	bumper tip
7747-A0	4	.042"/1.07mm	100cm	.035" (0.89mm)	-	
7747-10	4	.042"/1.07mm	100cm	.038" (0.97mm)	-	bumper tip
5591-E3	5	.046"/1.17mm	65cm	.035" (0.89mm)	-	
5591-F3	5	.046"/1.17mm	100cm	.035" (0.89mm)	-	

SOFTOUCH® MOTARJEME® CATHETERS

5559-13	4	.041"/1.04mm	65cm	.035" (0.89mm)	2	non-braided
5559-23	4	.041"/1.04mm	100cm	.035" (0.89mm)	2	non-braided
5572-13	5	.044"/1.12mm	65cm	.035" (0.89mm)	-	
5572-33	5	.044"/1.12mm	65cm	.035" (0.89mm)	2	
5559-A3	5	.044"/1.12mm	65cm	.035" (0.89mm)	-	non-braided
5572-23	5	.044"/1.12mm	100cm	.035" (0.89mm)	-	
5572-43	5	.044"/1.12mm	100cm	.035" (0.89mm)	2	
MOTARJEME CANE						
5564-Z3	4	.041"/1.04mm	100cm	.035" (0.89mm)	-	non-braided
5572-A3	5	.044"/1.12mm	65cm	.035" (0.89mm)	-	
5572-B3	5	.044"/1.12mm	100cm	.035" (0.89mm)	-	
MOTARJEME EXCHANGE						
6638-23	4	.041"/1.04mm	110cm	.035" (0.89mm)	-	non-braided

catalog number	French size	internal diameter	length	recommended guide wire	# of side ports	

PERFORMA® REUTER CATHETERS

7714-A0	4	.042"/1.07mm	80cm	.035" (0.89mm)	2	
7714-10	4	.042"/1.07mm	80cm	.038" (0.97mm)	2	bumper tip
7714-B0	4	.042"/1.07mm	80cm	.035" (0.89mm)	-	
7714-20	4	.042"/1.07mm	80cm	.038" (0.97mm)	-	bumper tip
5589-A3	5	.046"/1.17mm	80cm	.035" (0.89mm)	-	
5589-B3	5	.046"/1.17mm	80cm	.035" (0.89mm)	2	
5589-13	5	.046"/1.17mm	80cm	.038" (0.97mm)	-	
5589-23	5	.046"/1.17mm	80cm	.038" (0.97mm)	2	

SOFTOUCH® REUTER CATHETERS

5525-13	5	.044"/1.12mm	80cm	.035" (0.89mm)	-	
5525-23	5	.044"/1.12mm	80cm	.035" (0.89mm)	2	
5538-13	5	.044"/1.12mm	80cm	.038" (0.97mm)	-	
5538-23	5	.044"/1.12mm	80cm	.038" (0.97mm)	2	



PERFORMA® MIKAELSSON CURVE CATHETERS

7719-A0	4	.042"/1.07mm	80cm	.035" (0.89mm)	-	
7719-10	4	.042"/1.07mm	80cm	.038" (0.97mm)	-	bumper tip
5594-13	5	.046"/1.17mm	80cm	.038" (0.97mm)	-	

SOFTOUCH® MIKAELSSON CATHETER

1151-53	5	.044"/1.12mm	80cm	.038" (0.97mm)	-	

PERFORMA® KA CATHETERS

5582-23	5	.046"/1.17mm	65cm	.038" (0.97mm)	-	
5582-33	5	.052"/1.32mm	65cm	.038" (0.97mm)	-	high flow non-braided

PERFORMA® KA2 CATHETERS

5582-13	5	.046"/1.17mm	40cm	.038" (0.97mm)	-	
5582-43	5	.046"/1.17mm	65cm	.038" (0.97mm)	-	
7514-13	6	.054"/1.37mm	40cm	.038" (0.97mm)	-	
7514-23	6	.054"/1.37mm	65cm	.038" (0.97mm)	-	

catalog number	French size	internal diameter	length	recommended guide wire	# of side ports	

PERFORMA® DVS A1 CATHETERS (10CM TAPER TIP)

5595-13	5	.042"/1.07mm	65cm	.035" (0.89mm)	-	
5595-33	5	.042"/1.07mm	100cm	.035" (0.89mm)	-	
5595-23	5	.042"/1.07mm	65cm	.038" (0.97mm)	-	
5595-43	5	.042"/1.07mm	100cm	.038" (0.97mm)	-	

PERFORMA® DVS A2 CATHETERS (15CM TAPER TIP)

5595-A3	5	.042"/1.07mm	65cm	.035" (0.89mm)	-	
5595-C3	5	.042"/1.07mm	100cm	.035" (0.89mm)	-	
5595-B3	5	.042"/1.07mm	65cm	.038" (0.97mm)	-	
5595-D3	5	.042"/1.07mm	100cm	.038" (0.97mm)	-	

SOFTOUCH® SHEPHERD FLUSH CATHETERS

5574-A1	4	.041"/1.04mm	65cm	.035" (0.89mm)	6	non-braided
5574-B1	4	.041"/1.04mm	90cm	.035" (0.89mm)	6	non-braided
5574-11	5	.052"/1.32mm	65cm	.035" (0.89mm)	6	non-braided
5574-21	5	.052"/1.32mm	90cm	.035" (0.89mm)	6	non-braided

PERFORMA® UHF SHEPHERD FLUSH CATHETERS

7602-A1	5	.052"/1.32mm	65cm	.035" (0.89mm)	6	non-braided
7602-B1	5	.052"/1.32mm	90cm	.035" (0.89mm)	6	non-braided
7602-C1	5	.052"/1.32mm	65cm	.038" (0.97mm)	6	non-braided
7602-D1	5	.052"/1.32mm	90cm	.038" (0.97mm)	6	non-braided

SOFTOUCH® GROLLMAN PIGTAIL FLUSH CATHETERS

7671-11	7	.064"/1.63mm	110cm	.038" (0.97mm)	7	3.6cm tip
7671-21	7	.064"/1.63mm	110cm	.038" (0.97mm)	7	4.6cm tip

catalog number	French size	internal diameter	length	recommended guide wire	# of side ports	

SOFTOUCH® ULTRA BOLUS FLUSH CATHETERS

5420-51	4	.041"/1.04mm	65cm	.035" (0.89mm)	10	non-braided
5420-61	4	.041"/1.04mm	90cm	.035" (0.89mm)	10	non-braided
5420-11	5	.052"/1.32mm	65cm	.035" (0.89mm)	10	non-braided
5420-21	5	.052"/1.32mm	90cm	.035" (0.89mm)	10	non-braided
5420-31	5	.052"/1.32mm	65cm	.038" (0.97mm)	10	non-braided
5420-41	5	.052"/1.32mm	90cm	.038" (0.97mm)	10	non-braided

PERFORMA® ULTRA BOLUS FLUSH CATHETERS

7674-11	5	.052"/1.32mm	65cm	.035" (0.89mm)	10	non-braided
7674-21	5	.052"/1.32mm	90cm	.035" (0.89mm)	10	non-braided
7674-31	5	.052"/1.32mm	65cm	.038" (0.97mm)	10	non-braided
7674-41	5	.052"/1.32mm	90cm	.038" (0.97mm)	10	non-braided

SOFTOUCH® MODIFIED BOLUS FLUSH CATHETERS

5420-A1	4	.041"/1.04mm	65cm	.035" (0.89mm)	10	non-braided
5420-B1	4	.041"/1.04mm	90cm	.035" (0.89mm)	10	non-braided
5420-C1	5	.052"/1.32mm	65cm	.038" (0.97mm)	10	non-braided
5420-D1	5	.052"/1.32mm	90cm	.038" (0.97mm)	10	non-braided

catalog number	French size	internal diameter	length	recommended guide wire	# of side ports	

SOFTOUCH® PIGTAIL FLUSH CATHETERS

5539-P1	4	.041"/1.04mm	65cm	.035" (0.89mm)	10	non-braided
5539-R1	4	.041"/1.04mm	90cm	.035" (0.89mm)	10	non-braided
5539-S1	4	.041"/1.04mm	110cm	.035" (0.89mm)	10	non-braided
5539-81	5	.052"/1.32mm	65cm	.035" (0.89mm)	10	non-braided
5539-91	5	.052"/1.32mm	90cm	.035" (0.89mm)	10	non-braided
5539-A1	5	.052"/1.32mm	110cm	.035" (0.89mm)	10	non-braided
5539-T1	5	.052"/1.32mm	65cm	.038" (0.97mm)	10	non-braided
5539-U1	5	.052"/1.32mm	90cm	.038" (0.97mm)	10	non-braided
5539-V1	5	.052"/1.32mm	110cm	.038" (0.97mm)	10	non-braided
5539-B1	6	.059"/1.49mm	65cm	.038" (0.97mm)	10	non-braided
5539-C1	6	.059"/1.49mm	90cm	.038" (0.97mm)	10	non-braided
5539-D1	6	.059"/1.49mm	110cm	.038" (0.97mm)	10	non-braided

PERFORMA® ULTRA HIGH FLOW PIGTAIL CATHETERS

7602-41	5	.052"/1.32mm	65cm	.035" (0.89mm)	10	non-braided
7602-51	5	.052"/1.32mm	90cm	.035" (0.89mm)	10	non-braided
7602-61	5	.052"/1.32mm	110cm	.035" (0.89mm)	10	non-braided
7602-71	5	.052"/1.32mm	65cm	.038" (0.97mm)	10	non-braided
7602-81	5	.052"/1.32mm	90cm	.038" (0.97mm)	10	non-braided
7602-91	5	.052"/1.32mm	110cm	.038" (0.97mm)	10	non-braided

PERFORMA® PIGTAIL FLUSH CATHETER

7749-A0	4	.042"/1.07mm	80cm	.035" (0.89mm)	10	braided
7749-40	4	.042"/1.07mm	80cm	.038" (0.97mm)	10	braided

catalog number	French size	internal diameter	length	recommended guide wire	# of side ports	

SOFTOUCH® STRAIGHT FLUSH CATHETERS

5546-P1	4	.041"/1.04mm	65cm	.035" (0.89mm)	10	non-braided
5546-31	4	.041"/1.04mm	65cm	.035" (0.89mm)	-	non-braided
5546-R1	4	.041"/1.04mm	90cm	.035" (0.89mm)	10	non-braided
5546-51	5	.052"/1.32mm	65cm	.035" (0.89mm)	10	non-braided
5546-91	5	.052"/1.32mm	65cm	.035" (0.89mm)	-	non-braided
5546-61	5	.052"/1.32mm	90cm	.035" (0.89mm)	10	non-braided
5546-S1	5	.052"/1.32mm	65cm	.038" (0.97mm)	10	non-braided
5546-T1	5	.052"/1.32mm	90cm	.038" (0.97mm)	10	non-braided
5546-71	6	.059"/1.49mm	65cm	.038" (0.97mm)	10	non-braided
5546-81	6	.059"/1.49mm	90cm	.038" (0.97mm)	10	non-braided

PERFORMA® STRAIGHT FLUSH CATHETERS

7673-11	5	.052"/1.32mm	65cm	.035" (0.89mm)	10	non-braided
7673-21	5	.052"/1.32mm	90cm	.035" (0.89mm)	10	non-braided
7673-31	5	.052"/1.32mm	65cm	.035" (0.89mm)	-	non-braided
7673-41	5	.052"/1.32mm	65cm	.038" (0.97mm)	10	non-braided
7673-51	5	.052"/1.32mm	90cm	.038" (0.97mm)	10	non-braided
7673-61	5	.052"/1.32mm	65cm	.038" (0.97mm)	-	non-braided

STRAIGHT FLUSH

SOFTOUCH® MODIFIED HOOK FLUSH CATHETERS

5581-A1	4	.042"/1.07mm	65cm	.035" (0.89mm)	6	non-braided
5581-B1	4	.042"/1.07mm	90cm	.035" (0.89mm)	6	non-braided

PERFORMA® MODIFIED HOOK FLUSH CATHETERS

7603-A1	5	.052"/1.32mm	65cm	.035" (0.89mm)	6	non-braided
7603-B1	5	.052"/1.32mm	90cm	.035" (0.89mm)	6	non-braided
7603-C1	5	.052"/1.32mm	65cm	.038" (0.97mm)	6	non-braided
7603-D1	5	.052"/1.32mm	90cm	.038" (0.97mm)	6	non-braided

MODIFIED HOOK FLUSH

catalog number	French size	internal diameter	length	recommended guide wire	# of side ports	bands and spacing	style

PERFORMA® VESSEL SIZING CATHETERS - ALL SIDE PORTS BETWEEN TIP AND FIRST BAND

7742-2M65SH	4	.041"/1.04mm	65cm	.035" (0.89mm)	5	2 (2cm apart)	Pigtail
7742-2M100SH	4	.041"/1.04mm	100cm	.035" (0.89mm)	5	2 (2cm apart)	Pigtail
7744-2M65SH	4	.041"/1.04mm	65cm	.035" (0.89mm)	5	2 (2cm apart)	Straight
7744-2M100SH	4	.041"/1.04mm	100cm	.035" (0.89mm)	5	2 (2cm apart)	Straight
7743-2M65SH	4	.041"/1.04mm	65cm	.035" (0.89mm)	5	2 (2cm apart)	Ultra Bolus
7743-2M100SH	4	.041"/1.04mm	100cm	.035" (0.89mm)	5	2 (2cm apart)	Ultra Bolus
7755-2M65	4	.041"/1.04mm	65cm	.035" (0.89mm)	6	2 (2cm apart)	Mod. Hook
7755-2M100	4	.041"/1.04mm	100cm	.035" (0.89mm)	6	2 (2cm apart)	Mod. Hook
7602-2M65	5	.052"/1.32mm	65cm	.035" (0.89mm)	10	2 (2cm apart)	Pigtail
7602-2M	5	.052"/1.32mm	100cm	.035" (0.89mm)	10	2 (2cm apart)	Pigtail
7674-2M65	5	.052"/1.32mm	65cm	.035" (0.89mm)	10	2 (2cm apart)	Ultra Bolus
7674-2M	5	.052"/1.32mm	100cm	.035" (0.89mm)	10	2 (2cm apart)	Ultra Bolus
7673-2M65	5	.052"/1.32mm	65cm	.035" (0.89mm)	10	2 (2cm apart)	Straight
7673-2M	5	.052"/1.32mm	100cm	.035" (0.89mm)	10	2 (2cm apart)	Straight
7603-2M65	5	.052"/1.32mm	65cm	.035" (0.89mm)	6	2 (2cm apart)	Mod. Hook
7603-2M100	5	.052"/1.32mm	100cm	.035" (0.89mm)	6	2 (2cm apart)	Mod. Hook

2 BAND PIGTAIL

2 BAND STRAIGHT

2 BAND ULTRA BOLUS

2 BAND MOD. HOOK FLUSH

7602-11M65	5	.052"/1.32mm	65cm	.035" (0.89mm)	10	11 (1cm apart)	Pigtail
7602-11M	5	.052"/1.32mm	100cm	.035" (0.89mm)	10	11 (1cm apart)	Pigtail
7673-11M65SH	5	.052"/1.32mm	65cm	.035" (0.89mm)	10	11 (1cm apart)*	Straight
7673-11M100SH	5	.052"/1.32mm	100cm	.035" (0.89mm)	10	11 (1cm apart)*	Straight
7603-11M65	5	.052"/1.32mm	65cm	.035" (0.89mm)	6	11 (1cm apart)	Mod. Hook
7603-11M100	5	.052"/1.32mm	100cm	.035" (0.89mm)	6	11 (1cm apart)	Mod. hook

11 BAND PIGTAIL

7742-20M65SH	4	.041"/1.04mm	65cm	.035" (0.89mm)	5	20 (1cm apart)*	Pigtail
7742-20M100SH	4	.041"/1.04mm	100cm	.035" (0.89mm)	5	20 (1cm apart)*	Pigtail
7602-20M65	5	.052"/1.32mm	65cm	.035" (0.89mm)	10	20 (1cm apart)	Pigtail
7602-20M	5	.052"/1.32mm	100cm	.035" (0.89mm)	10	20 (1cm apart)	Pigtail
7602-20M65SH	5	.052"/1.32mm	65cm	.035" (0.89mm)	5	20 (1cm apart)*	Pigtail
7602-20M100SH	5	.052"/1.32mm	100cm	.035" (0.89mm)	5	20 (1cm apart)*	Pigtail
7673-20M65SH	5	.052"/1.32mm	65cm	.035" (0.89mm)	10	20 (1cm apart)*	Straight
7673-20M100SH	5	.052"/1.32mm	100cm	.035" (0.89mm)	10	20 (1cm apart)*	Straight
7603-20M65SH	5	.052"/1.32mm	65cm	.035" (0.89mm)	6	20 (1cm apart)*	Mod. Hook
7603-20M100SH	5	.052"/1.32mm	100cm	.035" (0.89mm)	6	20 (1cm apart)*	Mod. Hook

20 BAND PIGTAIL

"SH" suffix identifies marker bands that are 16mm closer to the pigtail curve.

PERFORMA® VESSEL SIZING CATHETERS - ALL SIDE PORTS BETWEEN TIP AND LAST BAND

catalog number	French size	internal diameter	length	recommended guide wire	# of side ports	bands and spacing	style
56535AVS2PIG	5	.052"/1.32mm	65cm	.035" (0.89mm)	5	2 (2cm apart)	Pigtail
510035AVS2PIG	5	.052"/1.32mm	100cm	.035" (0.89mm)	5	2 (2cm apart)	Pigtail
56535AVS2STR	5	.052"/1.32mm	65cm	.035" (0.89mm)	5	2 (2cm apart)	Straight
510035AVS2STR	5	.052"/1.32mm	100cm	.035" (0.89mm)	5	2 (2cm apart)	Straight
56535AVS2MHK	5	.052"/1.32mm	65cm	.035" (0.89mm)	5	2 (2cm apart)	Mod Hook
510035AVS2MHK	5	.052"/1.32mm	100cm	.035" (0.89mm)	5	2 (2cm apart)	Mod Hook

2 BAND PIGTAIL

2 BAND STRAIGHT

2 BAND ULTRA BOLUS

2 BAND MOD. HOOK FLUSH

56535AVS20PIG	5	.052"/1.32mm	65cm	.035" (0.89mm)	5	20 (2cm apart)	Pigtail
510035AVS20PIG	5	.052"/1.32mm	100cm	.035" (0.89mm)	5	20 (2cm apart)	Pigtail
56535AVS20MHK	5	.052"/1.32mm	65cm	.035" (0.89mm)	5	20 (2cm apart)	Mod Hook
510035AVS20MHK	5	.052"/1.32mm	100cm	.035" (0.89mm)	5	20 (2cm apart)	Mod Hook

20 BAND PIGTAIL

PERFORMA® VENA CAVA CATHETERS

7602-2MCV65	5	.052"/1.32mm	65cm	.035" (0.89mm)	10	2 (28mm apart)	Pigtail
7602-2MCV90	5	.052"/1.32mm	90cm	.035" (0.89mm)	10	2 (28mm apart)	Pigtail
7674-2MCV65	5	.052"/1.32mm	65cm	.035" (0.89mm)	10	2 (28mm apart)	Ultra Bolus
7674-2MCV90	5	.052"/1.32mm	90cm	.035" (0.89mm)	10	2 (28mm apart)	Ultra Bolus
7673-2MCV65	5	.052"/1.32mm	65cm	.035" (0.89mm)	10	2 (28mm apart)	Straight
7673-2MCV90	5	.052"/1.32mm	90cm	.035" (0.89mm)	10	2 (28mm apart)	Straight

2 BAND PIGTAIL

2 BAND STRAIGHT

2 BAND ULTRA BOLUS

SOFTOUCH® PEDIATRIC VESSEL SIZING CATHETERS

4408-2M65	4	.041"/1.04mm	65cm	.035" (0.89mm)	5	2 (1cm apart)	Pigtail
4408-2M80	4	.041"/1.04mm	80cm	.035" (0.89mm)	5	2 (1cm apart)	Pigtail
4408-2M65SH	4	.041"/1.04mm	65cm	.035" (0.89mm)	5	2 (1cm apart)*	Pigtail
4408-2M80SH	4	.041"/1.04mm	80cm	.035" (0.89mm)	5	2 (1cm apart)*	Pigtail

2 BAND PIGTAIL

*"SH" suffix identifies marker bands that are 16mm closer to the pigtail curve.

catalog number	French size	catheter length	guide wire double ended (J3/straight)	needles	dilator (in pigtail kits)
SOFTOUCH® RADIOLOGY (MINI KITS)					
KIT WITH PIGTAIL					
1168-73	4	65cm	.035" (0.89mm) 125cm	19g Introducer + 19g Butterfly +++	4 French
1168-93	4	65cm	.035" (0.89mm) 125cm	19g Seldinger ++	4 French
KIT WITH STRAIGHT FLUSH					
1172-73	4	65cm	.035" (0.89mm) 125cm	19g Introducer + 19g Butterfly +++	-
KIT WITH MODIFIED SIMMONS					
6654-43	4	80cm	.035" (0.89mm) 125cm	19g Seldinger ++ 19g Introducer +	4 French

+One-wall, ultra thin-wall angiography needle 19GA X 2 3/4" (7cm)
++Seldinger style (2 part) ultra thin-wall angiography needle with Seldinger shield 19GA X 2 3/4" (7cm)
+++Thin-wall butterfly needle 18 GA X 1" (2.54cm)